

Flexible Gravity Roller Conveyor (50Kg/m or 100Kg/m)



FGRH Medium Duty





FGRM Medium Duty



FGRM Medium Duty

GALLERY



FGRM Flexible Gravity Roller Conveyor (50Kg/m)

Medium Duty Roller Conveyor



PRODUCTS DETAILS



50*1.5mm
galvanized steel roller



Move on 100mm swivel
lockable polyurethane casters



With end package
stop bar



Close the conveyor when
not use to save space



Square tube support legs




Reinforced impact section



Curved galvanized flexible
steel frame



Easily joint two or more
units by buckles



DATA SHEET

FGRM Medium Duty Flexible Gravity Roller Conveyor	
Conveyor Roller	Φ50*1.5mm galvanized steel roller, Max. gap 130mm center to center
Joint Frame	2mm thickness galvanized steel plates with better load
Supporting Legs	With adjustable height, tube pipe legs or square pipe legs
Moving Caster	100mm high quality swivel lockable polyurethane casters

FGRM Flexible Gravity Roller Conveyor (Tube Pipe Legs)						
Model	Open Length (mm)	Close Length (mm)	Effective Width (mm)	Adjustable Height (mm)	Max.Load (Kg/m)	Roller Diameter
FGRM2.5	2500mm	1120mm	600mm	700-1000mm	50kg/m	50mm
FGRM3.6	3600mm	1580mm	600mm	700-1000mm	50kg/m	50mm
FGRM4.7	4700mm	2040mm	600mm	700-1000mm	50kg/m	50mm
FGRM5.8	5800mm	2500mm	600mm	700-1000mm	50kg/m	50mm
FGRM6.9	6900mm	2960mm	600mm	700-1000mm	50kg/m	50mm

FGRM Flexible Gravity Roller Conveyor (Square Pipe Legs)						
Model	Open Length (mm)	Close Length (mm)	Effective Width (mm)	Adjustable Height (mm)	Max.Load (Kg/m)	Roller Diameter
FGRM4.2	4200mm	1700mm	600mm	700-1000mm	50kg/m	50mm
FGRM5.2	5200mm	2100mm	600mm	700-1000mm	50kg/m	50mm
FGRM6.2	6200mm	2500mm	600mm	700-1000mm	50kg/m	50mm
FGRM7.2	7200mm	2900mm	600mm	700-1000mm	50kg/m	50mm
FGRM8.2	8200mm	3300mm	600mm	700-1000mm	50kg/m	50mm
FGRM9.2	9200mm	3700mm	600mm	700-1000mm	50kg/m	50mm
FGRM10.2	10200mm	4100mm	600mm	700-1000mm	50kg/m	50mm

FGRH Flexible Gravity Roller Conveyor (100Kg/m)

Heavy Duty Roller Conveyor



PRODUCTS DETAILS



50
galvanized steel rollers



Adjustable
height support legs



Legs with handle
for movement



Guide wheels to
keep goods from falling off



5mm telescopic sheet



Easy to expand and bend



Move on 5" heavy duty
swivel PU wheels.

DATA SHEET

FGRH Heavy Duty Flexible Gravity Roller Conveyor	
Conveyor Roller	Φ50*1.5mm galvanized steel roller, Max. gap 130mm center to center
Telescopic Frame	L270*5mm reinforced side links with nice load capacity
Adjustable Legs	32*32*2mm square steel tubes, powder coated
Caster	5" high quality swivel lockable polyurethane casters
Optional Width	600~1000mm
Optional Height	600-800mm, 700-1000mm, 800-1200mm
Cargo Type	only can transport flat bottom cartons/boxes
Combination	quickly and easily joint two or more units by hooks

FGRH Flexible Gravity Roller Conveyor (Square Pipe Legs)						
Model	Open Length (mm)	Close Length (mm)	Effective Width (mm)	Adjustable Height (mm)	Max.Load (Kg/m)	Roller Diameter
FGRH4	4800	2040	600,800	700-1000	100	50mm
FGRH6	6000	2550	600,800	700-1000	100	50mm
FGRH7	7200	3060	600,800	700-1000	100	50mm
FGRH8	8400	3570	600,800	700-1000	100	50mm
FGRH9	9600	4080	600,800	700-1000	100	50mm
FGRH10	10800	4590	600,800	700-1000	100	50mm
FGRH12	12000	5100	600,800	700-1000	100	50mm
FGRH13	13200	5610	600,800	700-1000	100	50mm
FGRH14	14400	6120	600,800	700-1000	100	50mm
FGRH15	15600	6630	600,800	700-1000	100	50mm